


City Lion

External battery for Kugoo G2 PRO

Instruction manual

Mounting the bag on the steering column

1. Make sure the external battery is fully charged (53.8V - 54.6V) before installation.
2. Remove the battery pack from the bag
3. Choose the appropriate spot for mounting the bag - marked with red rectangles in the picture below: **(a)** or **(b)**.
4. Screw it on with the supplied clamp (you will find it inside the bag) and, if you choose spot **(a)**, connect the top straps to the handlebars. If you choose mounting option **(b)**, leave the excess straps inside the bag.
5. After mounting the bag, attach the cable with a zip tie to the steering column



Connecting the battery

1. Carefully lift up the anti-slip rubber mat to access the screws, which are located at the positions marked in the photo below. Unscrew them using a Hex key 5.



2. Lift the cover to access the battery and controller.
3. Run the wire from the bag to the place where controller wires connect with the LCD display (marked on the picture below):



* To do this, cut the rubber gasket at the location marked below and route the bag cable through it, routing the plugs through the scooter's structural hole.




4. Disconnect the battery from the controller (in the picture below)



5. Connect the bag's cable (XT60 male connector) to the original battery (XT60 female).

6. Place the City Lion battery pack in the bag and connect the plugs in the bag (XT60 female and XT60 male)

7. Connect the second, free cable connector from the bag to the controller, as shown in the photo below.



8. Screw the cover back on

9. Voilà – you can start using your external battery and enjoy the extended range! 😊